

NEW-SURWAY PRODUCT DATASHEET

IPC-3076-NKP Network Camera

Product photo



Main Features

- IP Waterproof Camera
- 1/3" Aptina AR0130 CMOS Image sensor
- Hisilicon Hi3518C High performance DSP
- H.264 video compression, support dual stream
- Built-in Mega pixel 3.6mm lens
- Built-in Web Server makes it possible for users to visit camera through IE browser,
- Adjust the stream and frame rate according to the bandwidth
- Support video lost, motion detection
- Support self connection to the internet when disconnection happens
- Support 8 users to visit the camera at the same time
- Support remote system upgrade function
- Compatible SDK and client software
- Support IR-CUT
- Support POE

Technical Specification

| Model | IPC-3076-NKP |
|--------------------------|-------------------------------------------|
| Image Compression Format | H.264 |
| Image sensor | 1/3" Aptina AR0130 CMOS |
| Lens | Mega pixel lens |
| Mini illumination | 0.1Lux@F1.2 (color), 0.03 Lux@F1.2 (B/W) |
| Vedio resolutions | 1280*960 / 640*480 / 320*180 |
| Frame rate | 25 FPS |
| streams | 0.1Mbps – 8 Mbps |
| Motion Detect | Support |
| Alarm Event | Email / Picture |

NEW-SURWAY PRODUCT DATASHEET

| | |
|-------------------|--------------------------------------------------|
| IR-CUT | Support |
| POE | Support |
| Lens | Mega pixel 3.6mm lens |
| IR Range | 24 PCS ϕ 5 IR Leds / 20 meters IR distance |
| Double streams | Support |
| Safety | Password protection、 User management system |
| Network Interface | RJ-45 10-100 Base T |
| Network Protocol | TCP/UDP/IP/HTTP/RTSP/FTP/PPPOE/DHCP/DNS/NTP/UPnP |
| Onvif | Support |
| Working Condition | 0°C – 45°C (32°F–133°F) , 10% - 90%PH |
| power | Output:12VDC/1A; Input:100–240VAC, 50–60Hz |

The specification is subject to change without notice.
